



WELCOME TO SIMPLE WEEK 2

Introducing 1) DBT distress tolerance skills, 2) the 4 simple strategies 3) the first tool: crisis plans.

COPING WITH, MANAGING AND TOLERATING DISTRESS AND CRISIS



week 1- orientation and overview- sessions 1 and 2 of simple manual.

Week2- introducing distress tolerance-p. 1-13 of dbt workbook and crisis plans-session 3 of the manual.

week 3- the theoretical foundations of the simple course. session 4, 6, and 8 of the manual.

week 4- distress tolerance p. 14-32 of dbt workbook. suicide prevention session 5 of the manual. our first practice- crisis plans.

week 5- distress tolerance p. 33-46 of dbt workbook. introducing holes diary cards- session 7 of manual.

week 6- distress tolerance p. 47-68 of dbt workbook. finding your diary card targets- session 9 of manual. our second practice- holes diary cards.

week 7- introducing personality- session 10 of manual.

week 8- distress tolerance p. 69-90 of dbt workbook. introducing chain analysis-session 11 of manual.

week 9- what shapes personality-session 12 of manual.

week 10-introducing mindfulness skills p.90-109 of dbt workbook. advanced chain analysis- session 13 of manual. our third practice-chain analysis.

week 11- attachment theory- session 14 of manual.

week 12- mindfulness skills p. 110-131 of dbt workbook. introducing rational mind remediation-session 15 of manual.

week 13- the dynamic-maturational model of attachment and adaptation- session 16 of manual.

week 14-mindfulness skills p. 131-147 of dbt workbook. reviewing all the tools-session 17 of manual. our fourth practice-rational mind remediation.

week 15-stress-session 18 of manual.

week 16-introducing emotion regulation skills p.148-182 of dbt workbook. introducing the goals diary card procedure-session 19 of manual.

PRACTICE SESSIONS SCHEDULE

	preparation		
1. Week 5 October 29	October 22, 1:30	Crisis Plans	Chris G.
2. Week 6 November 5	October 29, 1:30	Holes diary cards	Barb H.
3. Week 10 December 3	November 26, 1:30	Chain analysis	Ashley S.
4. Week 14 January 14	January 7, 1:30	Rational mind remediation	
5. Week 18 February 11	February 4, 1:30	goals diary card	
6. Week 25 April 15	April 8, 1:30	IFS workbook 1	Elaine S.
7. Week 26 April 22	April 15	IFS workbook 2	
8. Week 27 April 29	April 22	IFS workbook 3	
9. Week 28 May 6	April 29	IFS workbook 4	
10. Week 32 June 3	May 27 1:30 PM	Wise mind remediation	

TOOL PRACTICE- DEVELOPING A CRISIS PLAN



- In 3 weeks, week 5 of the course, we will practice doing a crisis plan with Chris.
- In 4 weeks, week 6 of the course we'll practice the second tool holes diary cards with Ashley
- Email us if you'd like to volunteer for a Wednesday practice.
- We will also be practicing using the tools and skills in the boing group on Mondays.(starts October 27th 1-2:30 pm on zoom and at 444 Douro St. 2nd floor boardroom)



MINDFULNESS PRACTICE

CREATING A SENSORY SOOTHING TOOLKIT

Sensory Soothing Toolkit




A stack of colorful sticky notes is placed on a brown corkboard. The topmost sticky note is pink and features the words "DON'T FORGET" written in bold, black, hand-drawn capital letters. A thick black horizontal line is drawn underneath the word "FORGET". Several other sticky notes in shades of yellow, orange, and light blue are visible beneath the pink one, creating a layered effect. The entire scene is set against a solid blue background.

**DON'T
FORGET**

KATE'S SUMMARY OF WEEK 1

- Week 1 was an orientation and overview of the Simple Course. The co-leaders discussed the format of the course and what participants need to know to succeed in the course.
- S = structured I= integral M = mindful P L E = psychotherapy, that is learned easily
- Email: itssimple2023@gmail.com
- Website: www.itssimple2021.com, then click NEWS
- YouTube Channel: [@itssimpleonyoutube1123](https://www.youtube.com/@itssimpleonyoutube1123)
- BOING Group: drop in in-person / online to help participants review and practice the material Mondays 1:00 – 2:30 (444 Douro St, 2nd Floor boardroom)
- There's a Hole in My Sidewalk – central metaphor in the course
- The Simple Course aims to help you identify, become more aware of, get out of, avoid, and repair some of the “holes in the sidewalk” you keep falling into.
- It aims to help you: 1. Expand your window of emotional tolerance 2. Heal your trauma 3. Live a full life


HOMework FROM THE PAST WEEK



- Read p. 1-13 of skills training workbook
- Read Simple manual session 3
- Submit any questions, comments, or feedback to itssimple2023@gmail.com

HOMEWORK FOR THE COMING WEEK

- Start tracking the skills you are learning using the DBT diary card or skills list.
- Create your own sensory soothing kit
- At some point over the next week if you find yourself emotionally dysregulated try using the R relax in the acronym REST. Alternatively, practice “relax” using editing splicing and pasting a strategy we’ll talk about today.
- Record your practice in your binder/notebook
- Submit questions or comments to itssimple2023@gmail.com
- Read Simple manual session 4, 6 and 8
- Decide on one “hole” you fall into and consider a crisis. Start working on a plan to deal with that crisis.
- Try crafting your own personal dashboard. We will do this together in the first session of the being group Monday October 27th in the board room of the Stratford family health team building and on Zoom.





REMINDER PARTICIPANT AGREEMENTS

- If you have questions, comments, or feedback, please save them for the two question periods. You can put them in the chat box or raise your real/virtual hand.
- Keep comments, questions, and feedback relatively brief so everyone has a chance to participate.(one breath sharing)
- If you're on zoom, make sure no one can overhear what is being said
- For reasons that will become clear later in the course please avoid giving advice to other participants about what they should or should not do. Validation, encouragement , and understanding are however very much appreciated.

BE ON TIME Late entries to the video conference interrupt the lesson. 	MUTE YOUR MICROPHONE This helps reduce background noise and allows everyone to hear the speaker. 
TURN ON YOUR VIDEO Please make sure you are dressed appropriately. 	JOIN FROM A QUIET PLACE Try to avoid places with a lot of activity and distractions. 
BE PREPARED It is difficult to participate or ask for help if you are behind with your work. 	RAISE YOUR HAND Let your teacher know if you have a question or want to comment. 
USE THE CHAT FEATURE RESPONSIBLY Remember – a record is kept of everything you post in the chat. 	BE RESPECTFUL Everyone deserves to have a safe learning environment. Be kind in everything you say, post, and do online. 
USE YOUR FIRST AND LAST NAME Please rename yourself in Zoom with your first and last name.	

ITS SIMPLE POLL QUESTIONS WEEK 1

Responses from in person participants:

1. I'm doing the simple course
 - a) For the first time 66%
 - b) I've done it before 34%
2. What best describes your current relationship to emotional deregulation?
 - a) It very significantly affects my life 53%
 - b) It somewhat affects my life 38%
 - c) I am not sure what it is 6%
3. How would you describe your emotional state at this moment? (multiple choice)
 - a) Calm and open 34%
 - b) Anxious 59%
 - c) Angry 9%
 - d) Numb 9%
 - e) Depressed 16%
 - f) Hopeful 38%
4. What is your biggest hope for this course? (multiple choice)
 - a) More stability in my life 72%
 - b) Better understanding of myself 66%
 - c) Better relationships 56%

5. What best describes your previous experience with mental health resources such as therapy or groups?(single choice)

- a) I've done courses or been in therapy before 91%
- b) I've read about mental health or used self-help resources 6%
- c) I'm new to all of this 3%

6. I plan to ...(single choice)

- a) Attend the Monday 1-2:30pm group in person 41%
- b) Attend the Monday group on zoom 9%
- c) Not attend the Monday group 19%
- d) Attend the Monday group occasionally 34%

WEEKLY ANNOUNCEMENTS



- We did well last week but don't forget if you're on zoom, to keep signing in with your first name and the initial of your last name.
- If you're in person, please write your name legibly on the attendance sheet.
- For next week's mindfulness exercise, we're going to need a raisin. If you're on zoom, please have a raisin handy (or a small edible product-make a note now so you don't forget.)
- Next week the co-leaders will bring raisins for the in-person participants.
- The boing group starts Monday October 27.(1 to 2:30 pm)
- It will be both in-person and on zoom. The in-person session will be in the board room of the Stratford family health team at 444 Douro St. Stratford on the second floor.
- For the first boing group, Joan and Nicole will be guiding a craft group in which we'll be creating a personal dashboard.
- If you want to craft your own personal dashboard on zoom, today they will tell you the materials you will need to have with you on the 27th.
- The personal dashboard is one of the strategies we'll be talking about today.

WHAT WE WILL DO TODAY



- Part I We'll review the Skills training workbook p. 1-13 – which covers 5 topics:
 - 1. DBT an overview of the treatment, who the DBT skills training workbook book is for.
 - 2. Basic distress tolerance skills, what are they?
 - 3. About this chapter
 - 4. How to use this chapter
 - 5. Take a rest.
- Part II We'll introduce 4 Simple strategies that will help you use the tools more effectively. Covered in the Simple manual
- We'll take a break midway through the session
- Part III We'll introduce the first tool: the crisis plan, also covered in the Simple manual session 3

A NEW HARBINGER SELF-HELP WORKBOOK

MORE THAN 500,000 COPIES SOLD!

The Dialectical Behavior Therapy Skills Workbook

SECOND EDITION

Practical DBT Exercises for
Learning Mindfulness, Interpersonal
Effectiveness, Emotion Regulation
& Distress Tolerance

MATTHEW MCKAY, PhD • JEFFREY C. WOOD, PsyD
JEFFREY BRANTLEY, MD



NICOLE



JOAN

E-MAILED, QUESTIONS,
COMMENTS, FEEDBACK
HOUSEKEEPING





DBT DISTRESS TOLERANCE



**DON'T REACT.
STAY IN CONTROL.**



**A STEP BACK.
A DEEP BREATH.
DON'T ACT
IMPULSIVELY.**



**WHAT ARE YOU FEELING
OR THINKING?
WHAT ARE OTHERS
SAYING OR DOING?**



**MINDFULLY
THINK ABOUT YOUR
GOALS & ACTIONS.**

FEELING DISTRESSED?

**TAKING A MOMENT TO "REST" ALLOWS YOU TO
RESPOND RATHER THAN REACT TO YOUR EXPERIENCE.**

R Relax: take a time out. Close your eyes and consciously slow your breathing. Focus on that until you feel more grounded.

E Evaluate: examine the situation. What thoughts, feelings, or sensations are you experiencing? What message are they trying to convey?

S Set your intention: what's your goal here? What do you need to do to get there?

T Take action: take a deep breath and put your plan into motion.

we know this...



but what is this...



Just DON'T do it

The background of the slide is an abstract, textured composition. It features a central dark grey band where the text is located. Above and below this band are areas of mottled, painterly textures in shades of grey, black, and muted blue. The overall effect is gritty and artistic.

INTRODUCING THE DBT WORKBOOK AND THE DISTRESS TOLERANCE MODULE

WHAT WE WILL DO TODAY




- Part I We'll review Skills training workbook p. 1-13 – which covers 5 topics:
 - 1. DBT an overview of the treatment, Who the DBT skills training workbook book is for?
 - 2. Basic distress tolerance skills, what are they?
 - 3. About this chapter
 - 4. How to use this chapter
 - 5. Take a rest.
- Part II We'll introduce the Simple strategies. Covered in the Simple manual
- We'll take a break midway through the session
- Part III We'll introduce crisis plans also covered in the Simple manual session 3


REVIEW OF DBT SKILLS TRAINING WORKBOOK PAGES 1-13

DISTRESS TOLERANCE part 1

- Tolerating distress means coping with the physical and emotional pain and discomfort we sometimes experience in ways that over the long-term are likely to reduce, rather than increase, that pain.
- This is also the goal of crisis plans which we'll discuss later today.




WHAT IS DBT?



- Dialectical behavioral therapy- DBT was developed by Psychologist Marsha Linehan
- Linehan was hospitalized for one year in a mental health institution and thought to have little chance of recovering from her issues.
- In her autobiography “building a life worth living: a memoir” she writes that her psychiatrists diagnosed her as suffering from schizophrenia, she later self diagnosed as meeting the criteria for BPD.
- One of goals of DBT is to help people cope with dysregulated and sometimes overwhelming emotions, that is to learn to better emotionally regulate
- DBT Covers 4 skills Modules
 1. Distress Tolerance- we'll start today.
 2. Mindfulness
 3. Emotion Regulation
 4. Interpersonal Effectiveness

LIFE CAN GET BETTER

DON'T SHOOT THE SECOND ARROW:
HOW TO AVOID UNNECESSARY PAIN



- Linehan studied Buddhism and in 2011 was ordained as a Buddhist nun.
- The first of the four “noble truths” of Buddhism says that “life involves dukkha” or pain.
- When we’re in pain, we often have patterns of thinking, behaving and reacting emotionally that, over the long-term, add even more pain to the pain we’re already experiencing.
- Buddhism also teaches us that “Pain is inevitable, but suffering is optional”. Buddhism uses the metaphor of being struck by two arrows: the first arrow that strikes us, the pain of life, is sometimes unavoidable, the second arrow, suffering, the avoidable one is the mental anguish we create by resisting and judging the first arrow.
- Ex. 1st arrow- I lose an expensive pair of sunglasses 2nd arrow- how could I have done that I’m so stupid, I’m always doing stupid stuff.
- With understanding, commitment and the right approach, we can change our patterns of reacting emotionally, thinking and behaving and reduce our suffering.
- The skills, tools, and strategies we explore in this course are designed to help us do that.
- Learning and using these approaches has helped many people live better lives.
- Life can change for the better but only if you believe it can and work hard at it using effective approaches to bring this about.

DISTRESS TOLERANCE SKILLS



“Distress tolerance skills help you cope better with painful events by building up your resiliency and giving you new ways to soften the effects of upsetting circumstance”

DBT skills workbook

- In other words, using the skills, tools and strategies can help widen our window of emotional tolerance so that we're calm and alert more often and anxious, angry, depressed, or dissociated less often.

CRISIS



- What are crisis and why is it helpful to plan how to deal with them ?
- Pain is an unavoidable part of life and when we're in physical and/or emotional pain we may become distressed and overwhelmed.
- Sometimes when we're in pain and distressed we add to the pain by concluding, often falsely, that these feelings will never end or get better. That conclusion adds pain to our pain and we suffer.
- When we're in crisis we often feel that our pain will never end and there's nothing we can do to change it.
- When we're in crisis we may also have a difficult time finding healthy coping strategies, and may, to try to stop the pain, resort to unhealthy or "maladaptive" ones that are familiar and that over the short term seem to provide some relief.
- However, using maladaptive or unhealthy coping strategies, while temporarily helping us cope with our pain, usually only makes things worse in the long term. They are a "third arrow"
- If we prepare and plan for a crisis and train ourselves to use healthy coping strategies, instead of using habitual maladaptive coping ones, we're more likely to be hit with fewer arrows, or get out of our "holes in the sidewalk" faster and reduce our overall suffering.

IS DISTRACTION HEALTHY OR UNHEALTHY COPING ?

Distraction

(Taking your mind off the problem for a while)

Examples:

Puzzles, books, artwork, crafts, knitting, crocheting, sewing, crossword puzzles, sudoku, positive websites, music, movies, etc.

- Over the coming weeks we'll be learning many healthy coping skills. Distraction is one such skill that we'll look at in some detail.
- Distraction can be a good way to cope with physical or psychological pain. Distraction temporarily helps us not focus on our pain.
- Distraction may also give us the space and time we need to calm down and return to the window of tolerance before we act. Then when we're calmer we are more likely to choose a healthier, rather than a maladaptive, way to deal with the situation we're facing.
- Distraction is not the same as avoidance. Avoidance is an unhealthy form of distraction.
- The difference between distraction and avoidance is that with distraction we intend to eventually deal with the situation we're facing in a healthier way when we are calmer and in the "window of emotional tolerance".
- When we avoid, we never deal with the underlying situation that created the pain.

THE FIRST DBT SKILL

TAKE A "REST"

1. Relax

2. Evaluate

3. Set an
intention

4. Take
action

The DBT Diary

Note how many times each day you use these key skills. For items marked with *, briefly describe what you did in the “Specifics” column. Make copies of the blank diary before using it and do your best to complete one every week.

Core Skills	Coping Strategies	Mon.	Tues.	Wed.
Distress Tolerance	Stopped Self-Destructive Action Today			X
	Used REST Strategy Today			X
	Used Radical Acceptance			
	Distracted from Pain			
	Engaged in Pleasurable Activities*			
	Soothed Myself*			
	Practiced Relaxation			
	Committed to Valued Action*			
	Connected with My Higher Power			
	Used Coping Thoughts & Strategies*			
	Analyzed Feelings-Threat Balance			
	Used Physiological Coping Skills*			
Mindfulness	Practiced Thought Defusion			
	Practiced Mindful Breathing			
	Used Wise Mind			
	Practiced Beginner’s Mind			
	Practiced Self-Compassion			
	Practiced Doing What’s Effective			
	Completed a Task Mindfully			
	Practiced Loving-kindness Meditation			

Core Skills	Coping Strategies	Mon.	Tues.	Wed.
Emotion Regulation	Was Able to Recognize My Emotions			
	Dealt with Physical Pain Appropriately*			
	Ate in a Balanced Way			
	Didn't Use Drugs or Alcohol			
	Got Sufficient Sleep			
	Exercised			
	Experienced Positive Events/Emotions*			
	Let Go of Thoughts or Judgments			
	Watched and Named Emotions			
	Didn't Act on Emotions			
	Used Opposite Action			
	Used Problem Solving			
Interpersonal Effectiveness	Practiced Compassion for Others			
	Practiced Fear Mgmt.—Risk Assessment			
	Made an Assertive Request			
	Said No Assertively			
	Negotiated Agreements			
	Listened to and Understood Others			
	Validated Others			
Rate Your Overall Mood for the Day (1 to 10) 1=Very Poor, 5=Mediocre, 10=Excellent				

UPDATED PERSONAL SKILLS LIST

Distress tolerance skills

1. Grounding skills- Set a daily intention
2. “ - Sensory soothing toolkit
3. REST (or PEST) Pause

1. REST- R IS FOR RELAX



- If you're in crisis:
- Stop what you're impulsively doing, want to do or are about to do.
- Take a breath. Count to 10, 50 or 100
- Step away or back to allow yourself to have a different perspective
- Don't act impulsively
- Remind yourself that this is an opportunity to behave differently than you have in the past which did not turn out well.

2. REST- E IS FOR EVALUATE



- NB: for now, we will mostly focus on step 1. above: relax or take a step back.
- As we get further into the course, we will learn the skills associated with the remainder of the acronym “EST”. This will involve:
 - 1. Asking yourself what’s happening in the situation.
 - 2. What are the facts?
 - 3. Checking in with yourself. What are you feeling?
 - 4. Observing others. Is anyone in danger?
- We will learn to the EST skills in much greater detail when we explore the **third simple tool: chain analysis**. For now, don’t worry about the EST in REST.

3. REST- S IS FOR SET AN INTENTION



- When we step away, back, or pause while experiencing dysregulated emotions we create the space to come up with a plan for what we're going to do that will avoid making things worse.
- Stepping back allows us to be less emotional and more rational and make better choices. We will learn to do this throughout the course.
- We will learn to develop new ways of thinking, reacting emotionally and behaving when we explore the simple remediation tools (rational and wise mind remediation).
- Our intention using these tools, will be to replace our maladaptive reactions with more adaptive ones (that we have reflected on).

4. REST-T IS FOR TAKE ACTION



- Taking action means putting our new more adaptive plan of how to deal with our situation into motion
- We'll do this deliberately and mindfully. At first, we will learn to do this by imagining the situation in our mind and using the editing, splicing and pasting technique that we will discuss shortly.
- Again: At this point in the course, don't expect to be able to use EST part of the REST skills.
- You may simply want to focus on step 1 R for relax which is taking a time out and not doing what your emotional mind in crisis is telling you to do.
- We'll learn to do the EST steps as the course unfolds.



HOW TO USE THE DBT SKILLS TRAINING WORKBOOK

HOW TO USE THE DBT SKILLS WORKBOOK

You can use the dbt diary card (p.262-5) to track the skills you're learning. We, however, recommend using the evolving skills list that we'll provide to keep track of the skills that are particularly helpful to you

If you have time, try the exercises found in the workbook. If your time is limited, skip the exercises in the workbook and focus on the 6 tools and 4 strategies covered in the manual.

WARNING ABOUT DBT ACRONYMS



- An acronym is a memory aid in which the first letters of a word or a sentence are used to help us remember something else.
- Today we consider REST. REST is an acronym for the first set of distress tolerance skills. REST stands for relax, evaluate, set an intention, and take action.
- Different acronyms are used in different DBT skills manuals.
- For example, REST, which is meant to help you remember the first distress tolerance skill, is used interchangeably with STOP (take a step back, observe, proceed mindfully.)
- We also call STOP and REST “just don’t do it” after the Nike logo. Your feelings and thoughts may be urging you to do something, but you don’t act on them.
- There’s other acronyms in the distress tolerance and the other DBT modules (TIPP, ACCEPTS, IMPROVE, etc.) Don’t worry too much about keeping all of these straight. We will cover them in the coming weeks.
- The next two slides, which list acronyms commonly used in DBT, might help. Don’t worry too much about acronyms

When we are **STRESSED** we find ways to cope

Sometimes we cope with a problem behavior. Looking at the **PROS & CONS** of our coping behaviors, we can decide if we want to change the way we cope.

	Doing Problem Behavior (Giving In)	Not Doing Problem Behavior (Healthy Coping)
Pros	What do I like about doing it? (instant relief)	What do I like about coping with skills? (long term benefits)
Cons	What don't I like about doing it? (long term effects)	What don't I like about coping with skills? (instant feelings)

If we decide to do something different we can use these three sets of skills:

When you need to distract from people, events or feelings that are difficult to handle remember **ACCEPTS**

Activities

Do something else:
work on a hobby,
go for a walk

Contributions

Do something for someone else:
compliment someone,
do something nice

Comparisons

Think about how it's better:
than other situations,
a time you felt worse

Emotions

Do something that feels different:
watch a movie,
listen to music

Push Away

Put the problem away:
focus on something else,
yell NO! to the problem

Thoughts

Distract your thoughts:
count, sing a song

Sensations

Feel something else:
Hold ice, squeeze a ball



Vision

Look at something pretty
Watch something on TV
People watch
Window shop



Hearing

Listen to soothing music
Pay attention to sounds
Sing your favorite song
Play an instrument



Smell

Use a favorite soap
Burn a scented candle
Make popcorn
Smell roses



Taste

Chew your favorite gum
Eat a favorite food
Eat mindfully
Drink hot chocolate



Touch

Take a hot bath
Pet your dog or cat
Hug someone
Put on a comfy shirt

If you are in **crisis** and can't think straight, or your body is distressed-
TIP your body chemistry!



Temperature

Face in ice water
Cold/hot shower

Intense Exercise

Running/walking fast
Expend your energy

Progressive

Muscle Relaxation

Tense each muscle for 10 seconds, then release each muscle for 15 seconds

When you can't escape a situation but want to make it easier to deal with, **IMPROVE** the moment

Imagery

Imagine a safe place
Imagine life is going well
Imagine a relaxing place

Meaning

Find a reason for it
Focus on the positive
Think of how you'll be better

Prayer

Ask for strength
Turn it over to a higher power
Ask your wise mind for help

Relaxing

Listen to a relaxation tape
Massage your neck
Practice yoga

One thing at a time

Be mindful!
Focus attention on one thing
Breathe!

Vacation

Take a break
Get in bed for 5 minutes
Take a breather from work

Encouragement

Cheerlead yourself
"It will get better!"

Skills Training AAA Model

Awareness
Acceptance
Action

Core Mindfulness Skills

What Skills	How Skills
Observe	One-mindfully
Describe	Effectively
Participate	Non-judgmentally

Reality Acceptance Skills

Pain + Non-acceptance = Suffering

- Radical Acceptance
- Turn the Mind
- Practice Willingness
- Notice Willfulness
- Loving Kindness

Distress Tolerance Skills

Temperature
Intense physical sensations
Paced breathing
Paired Muscle Relaxation

Stop what you are doing
Take some deep breaths
Observe the situation
Proceed effectively

Activities
Contributing
Comparisons
Emotion opposites
Pushing away
Thoughts
Self-soothe with the senses

Imagery
Meaning
Prayer
Relaxation
One thing at a time
Vacation
Encouragement

One thing at a time
Vacation
Encouragement

Create SMART Goals

Specific
Meaningful
Achievable
Recordable
Timeline plan

VITALS to Success

Validate
Imagine
Take small steps
Applaud yourself
Lighten your load
Sweeten the pot

Emotion Regulation Goals

- Identify, label, understand emotions
- Decrease unwanted emotion responses
- Decrease emotional vulnerability

Emotion Regulation Skills

- Identify, label, functions of emotions
- Mindful to emotions
- Check the facts of emotion responses
- Behavior chain analysis
- Problem solving
- Pros and cons
- Opposite action to emotion urges
- Respecting emotions
- Managing extreme emotions

Accumulate positive emotions
Build skills mastery
Cope ahead for emotional events

treat
Physical
iLlness
Eat balanced meals
Avoid drug use
Sleep balanced
Exercise regularly
Avoid drug use
Sleep balanced
Exercise regularly

4 options 4 problems

- 1 Tolerate the problem
- 2 Change your beliefs
- 3 Solve the problem
- 4 Stay miserable

Behavior Analysis

1. Name the behavior
2. Prompting event
3. Rate intensity Level
4. Note duration
5. List vulnerabilities
6. Behavior links: actions, body sensations, thoughts, events, feelings
7. Short term positive effects
8. Long term negative effects
9. Replace problematic links with skills
10. Apply skills until you find what works for you

Interpersonal Effectiveness Skills

Describe
Express
Assert
Reinforce

Mindful
Appear confident
Negotiate

Gentle
Interested
Validate
Easy manner

Fair
Apology free
Stick to values
Truthfulness

Apology free
Stick to values
Truthfulness

WHAT WE WILL DO TODAY



- Part I We'll review the Skills training workbook p. 1-13 – which covers 5 topics:
 - 1. DBT an overview of the treatment, who the DBT skills training workbook book is for.
 - 2. Basic distress tolerance skills, what are they?
 - 3. About this chapter
 - 4. How to use this chapter
 - 5. Take a rest.
- Part II We'll introduce 4 Simple strategies that will help you use the tools more effectively. Covered in the Simple manual
- We'll take a break midway through the session
- Part III We'll introduce the first tool: the crisis plan, also covered in the Simple manual session 3



THE 4 SIMPLE STRATEGIES

SKILLS, TOOLS, TECHNIQUES AND STRATEGIES



- In the course we learn **skills, tools, techniques, and strategies** to deal with dysregulated feelings, thoughts, and behaviors. They will help get us out of holes we may fall into.
- Skills, tools, techniques, and strategies are necessary if we want to become proficient at any activity, be it being a carpenter, mechanic, pianist, hockey player, or a person living their daily life and coping with life's challenges. Let's start by defining these three terms.
- **Skill** - The ability to do something well, expertise. The skills covered in the simple course can be found in the DBT skills training workbook.
- **Tool** – Is a device or implement used to carry out a particular function. The six tools discussed in the simple course can be found in the simple manual. They are: 1. Crisis plans. 2. Diary cards. 3. Chain analysis. 4. Rational mind remediation. 5. The goals diary card. 6. Wise mind remediation.
- **Techniques and strategies** – are ways of using the tools effectively.

FOUR TECHNIQUES AND STRATEGIES FOR TOOL USE



- When using the tools:
- 1. follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

FOUR TECHNIQUES AND STRATEGIES FOR TOOL USE



- When using the tools:
- 1. follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

STEP 1. FOLLOW GOOD PROBLEM-SOLVING STRATEGIES

- For each of the 6 tools covered in the course, follow the steps recommended in the algorithms and templates provided to you. Avoid skipping any of the steps or improvising as you are likely to get lost and sidetracked. Ex:

Crisis plan algorithm

- By following the crisis plan template you will develop specific plans to get out of or avoid the holes you have chosen to work on. The template prompts you to:
- Understand the concept of holes or specific crisis for which the crisis plans are going to be used
- Identify the specific holes that you want to work on.
- Get to know the triggers, feelings, thoughts, and behaviors that are associated with those holes.
- Recall, in your mind, a real crisis from the past in which you fell into the hole you are working on and use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- Repeatedly visualizing the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- When a new crisis occurs work with it following these same steps.

Crisis plan template

Crisis Plan

1. Which crisis or "hole" is this plan for? What problematic feelings, thoughts, behaviours/maladaptive coping mechanisms/part/selves are present or active when I'm in this hole?

<input type="checkbox"/> anxiety/panic/flight	<input type="checkbox"/> dissociation	<input type="checkbox"/> withdrawing/running away
<input type="checkbox"/> fight/anger	<input type="checkbox"/> impulsive behaviour	<input type="checkbox"/> thinking of/hurting myself
<input type="checkbox"/> grief	<input type="checkbox"/> illegal behaviours	<input type="checkbox"/> thinking of/hurting others
<input type="checkbox"/> despair/giving up	<input type="checkbox"/> behaviours I later regret	<input type="checkbox"/> other specify: _____
<input type="checkbox"/> problems with boundaries	<input type="checkbox"/> addictive behaviour	_____

2. What might trigger getting into this crisis/hole?

<input type="checkbox"/> something I perceive others saying/doing	<input type="checkbox"/> certain things in my environment	<input type="checkbox"/> other/describe: _____
<input type="checkbox"/> contact with certain people	<input type="checkbox"/> times of the day/year	_____
<input type="checkbox"/> anniversaries	<input type="checkbox"/> being tired/stressed/not caring for myself	_____

3. What other thoughts/feelings/behaviours are typical for me in these crisis/holes?

4. What are the things I or others do that tends to make these crisis/holes worse?

FOUR TECHNIQUES AND STRATEGIES FOR TOOL USE



- When using the tools:
- 1. follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

CHECK IN REGULARLY WITH YOUR PERSONAL DASHBOARD

CRISIS RISK



WINDOW OF TOLERANCE




Spend a few moments checking in with yourself by asking:

1) What is the current risk that I'll experience a state of crisis ?
a) Low b) Moderate c) high d) very high e) extreme

2) Am I in the window of tolerance?
a) Yes b) I'm a little outside c) very outside

STATE OF ACTIVATION




ENERGY RESERVES



3) What state of activation am I mostly in at the moment?
a) Calm b) Fight c) Flight d) Dissociated e) Depressed?

4) Where is my energy tank right now?
a) Full b) $\frac{3}{4}$ c) $\frac{1}{2}$ d) near empty

STEP 2. SIMPLE MINDFUL DASHBOARD: SELF-AWARENESS STRATEGIES



- The imaginary crisis risk, energy reserve, window of tolerance and state of activation “personal dashboard” or “instrument panel”, helps us to be mindful of the state of our body and mind and tells us if we’re are in a hole or at risk of falling into one.
- Check in with these imaginary “instruments” which will give you critical information about yourself, just like a car’s dashboard gives you important information about the state of a car.
- Much of the time, we are on automatic pilot and unaware of what is happening to our bodies and minds. Being on automatic pilot keeps us from trying to influence or manage what is going on with us.
- Developing an imaginary personal dashboard is one of Simple’s mindfulness or self-awareness strategies. We will devote Monday October 27th being’s group to crafting a personal dashboard.
- Until you’re able to automatically visualize a dashboard in your mind, it’s helpful to craft an actual one for yourself. This might also help other people around you be aware of your states.
- The dashboard includes 4 gauges: 1. window of tolerance, 2. crisis risk 3. energy reserves or balance and 4. state of activation

THE PERSONAL DASHBOARD

A brief description of each the gauges in the personal dashboard:


- 1 the crisis risk gauge – provincial and national parks often prominently display forest fire risk signs. It may be helpful to think of our current risk of tipping into a crisis state in this way. This awareness can help us decide if you need to take precautions to prevent imminent crisis.
- 2 the state of activation gauge- we have a range of possible states of physiological activation. We most like to be calm or alert. We can however become hyperactivated into fight/flight or hypoactivated into dissociated/depressed states. What state are you in?
3. The window of tolerance gauge – this is like the oil temperature gauge in a car. Ideally, it's neither cold nor too hot but somewhere in the middle. Similarly, the optimal stage of activation for people is known as the window of tolerance in which we are calm or alert. When we are hypo activated or too cold, we are depressed or dissociated. When we are hyper activated or too hot, we are in fight or flight.
4. The energy reserve gauge – this is like the fuel gauge. It can be full when we're rested and have lots of energy, or it can be empty when we're very tired.

TRACKING




- In the course we will encourage you to track not only your crisis risk, energy reserves, and state of activation but also, using the holes diary card, if you're in a "hole". Tracking is an excellent way of developing mindfulness.
- Tracking these and other things like sleep, exercise, or stress has a lot of benefits, both for self-awareness and for long-term health.
- When you track, you begin to notice connections: Ex: Poor sleep and higher stress the next day. More exercise leading to better mood or energy. Stress spikes tied to certain activities or times. This awareness helps you see patterns you might otherwise miss.
- Seeing progress, like more steps walked, longer sleep, or steadier stress levels, can be motivating. It makes the invisible visible, which often encourages people to stick with healthy habits.
- Tracking helps you catch small problems before they grow: Sleep getting shorter each week. Resting heart rate creeping up. Stress scores staying high for too long. This can prompt adjustments before health really suffers.
- With data about yourself, you can make choices that actually fit your life: Adjusting bedtime routines. Knowing what type or amount of exercise helps. Recognizing which coping strategies lower stress.
- Over time, the data becomes a kind of mirror. You see not only what happens but how you respond. For example: "When I meditate, my stress score drops the most," or "If I skip workouts, my sleep worsens."

FOUR TECHNIQUES AND STRATEGIES FOR TOOL USE




- When using the tools:
- 1. follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

THE FOUR SIMPLE TECHNIQUES/STRATEGIES




- 1. When using the tools follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. Become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

STEP 3. STAY IN YOUR WINDOW OF TOLERANCE BY PENDULATING




- Pendulating means swinging from one thing or place to another.
- When people have feelings, they also have thoughts and images that accompany those feelings.
- One way of soothing ourselves, when we are experiencing intense negative feelings, and bringing ourselves back to the window of tolerable emotions, involves distraction or self-soothing: we learn to identify that we are emotional and learn to have alternative thoughts, a soothing inner dialogue, and/or calming and soothing images. When we are better regulated, we can then revisit the original thoughts and feelings we were having
- To get good at pendulating we have to plan and practice it as we will further discuss when we talk about crisis plans. Many of the skills we'll learn in the distress tolerance module can be used in pendulating.
- I use pendulating to help me sleep better.

FOUR TECHNIQUES AND STRATEGIES FOR TOOL USE



- When using the tools:
- 1. follow the steps described in the algorithms provided. This will help you adhere to good problem-solving practices.
- 2. become more mindful of your internal personal “dashboard” or “instrument panel” by:
 - a) Monitoring your energy balance.
 - b) Being mindful of your crisis risk level.
 - c) Staying in the window of emotional tolerance
 - d) being aware of your state of activation
- 3. Stay in the window of tolerance by pendulating.
- 4. Use editing, splicing and pasting of the “videos” of problematic thoughts, feelings or behaviors to practice and develop new ones.

STEP 4. EDITING, SPLICING AND PASTING WHILE PENDULATING TO STAY IN WINDOW OF TOLERANCE



- We all have memories or mental “videos” of times we’ve been dysregulated or fallen into holes.
- When we are learning to get out of holes, these memories or videos are invaluable in helping us practice alternative ways of thinking, feeling, and behaving.
- In Simple we’re going to learn to edit these old videos by splicing them and pasting in new more desirable and adaptive thoughts, feelings, and behaviors that get us out of our holes.
- As we visualize these videos, we may get activated so we will need to know how to sooth ourselves by “pendulating”, then resuming our work on the videos.

TO EFFECTIVELY USE ANY OF THE 6 TOOLS REMEMBER THE 4 STRATEGIES AND TECHNIQUES



- Stay organized and safe, and be effective when using the 6 tools by:
- 1. following the steps recommended in the Simple tool algorithms and templates to ensure good problem solving
- 2. Monitor your personal dashboard
- 3. Pendulate to stay in window of emotional tolerance.
- 4. To learn new patterns, work with old videos or memories of falling into holes. Edit, splice, and paste them with more adaptive or skillful feelings, thoughts and behaviors, and...
- 5. most importantly practice, practice, practice.

1. How useful was this meeting? (Multiple choice)

Extremely useful (10/10) 100%



Somewhat useful (0/0) 0%



Not useful at all (0/0) 0%



2. How useful was this course?

Extremely useful (10/10) 100%



Somewhat useful (0) 0%



Not useful at all (0) 0%



Week 2 POLL

- Throughout the year we will be doing polls to better understand some of your thoughts, feelings and needs.
- We'll look at the answers of zoom participants immediately after we do the polls.
- We'll share the answers of in person participants at the beginning of the session the week after the poll.
- Answers are anonymous
- Week 2 poll...

WHAT WE WILL DO TODAY



- Part I We'll review Skills training workbook p. 1-13 – which covers 5 topics: 1. DBT an overview of the treatment, Who the DBT skills training workbook book is for? 2. Basic distress tolerance skills, what are they? 3. About this chapter 4. How to use this chapter 5. Take a rest.
- Part II We'll introduce the Simple strategies. Covered in the Simple manual
- We'll take a break midway through the session
- Part III We'll introduce crisis plans also covered in the Simple manual session 3

INTRODUCING THE 6 TOOLS

Crisis plans

Holes diary cards

Chain analysis

Rational mind remediation

Goals diary cards

Wise mind remediation






Has there been a rise in the number of people experiencing crisis in recent years?

THE CRISIS LANDSCAPE

- There's strong evidence that people in many Western countries (as well as globally) are experiencing more mental health difficulties today than in previous decades. Many of the explanations of why this is happening tie into what's being called the "polycrisis", or overlapping economic, social, environmental, political, and technological crisis that reinforce one another. The layering of many crises intensifies psychological stress in ways that go beyond what a single problem would do.
- Studies and health-data sources suggest that more people are reporting symptoms of depression and anxiety today than in past decades. Young people in particular are experiencing more distress, depressive symptoms, anxiety, and feeling overwhelmed.
- Jonathan Haidt in his 2024 book *The anxious generation*, argues that children's experience of growing up has been fundamentally transformed since about 2010 by two converging trends. There is a decline of "play-based childhoods", kids having less unsupervised, risky, free play and a rise in more protective parenting; more structured environments; fewer opportunities for autonomy.
- At the same time there's been a rise of "phone-based childhoods", ubiquitous smartphones and social media creating new pressures, reshaping how children socialize, learn attention, and deal with stress. Together, these lead to what Haidt calls the "Great Rewiring" of childhood.
- Haidt documents a notable sharp increase since early 2010s in adolescent anxiety, depression, self-harm, and suicide. These changes correlate in time with the widespread adoption of smartphones/social media.
- He identifies four harms in phone-centric childhoods. 1. Social deprivation; less in-person, unstructured interaction with friends. 2. Sleep deprivation; phones and screens intruding on sleep routines. 3. Attention fragmentation; constant digital distractions weakening sustained focus. And 4. Addiction or compulsive behavior ; tech platforms designed for engagement; children having difficulty moderating use. He claims that we're overprotecting children in the real world and under protecting them in the on-line world. More and more children and young adults are "failing to launch" in the transition from adolescence to adulthood with its associated responsibilities.



Major Depression Among Teens




Figure 1.1. Percent of U.S. teens (ages 12–17) who had at least one major depressive episode in the past year, by self-report based on a symptom checklist. This was figure 7.1 in *The Coddling of the American Mind*, now updated with data beyond 2016. (Source: U.S. National Survey on Drug Use and Health.)³

Mental Illness Among College Students




Figure 1.2. Percent of U.S. undergraduates with each of several mental illnesses. Rates of diagnosis of various mental illnesses increased in the 2010s among college students, especially for anxiety and depression. (Source: American College Health Association.)⁹

Anxiety Prevalence by Age




Figure 1.3. Percent of U.S. adults reporting high levels of anxiety by age group. (Source: U.S. National Survey on Drug Use and Health.)¹¹

Emergency Room Visits for Self-Harm




Figure 1.4. The rate per 100,000 in the U.S. population at which adolescents (ages 10–14) are treated in hospital emergency rooms for nonfatal self-injury. (Source: U.S. Centers for Disease Control, National Center for Injury Prevention and Control.)²⁰

Suicide Rates for Younger Adolescents




Figure 1.5. Suicide rates for U.S. adolescents, ages 10–14. (Source: U.S. Centers for Disease Control, National Center for Injury Prevention and Control.)²²

Communication Technology Adoption




Figure 1.6. The share of U.S. households using specific technologies. The smartphone was adopted faster than any other communication technology in history. (Source: Our World in Data.)²⁵

Excellent or Very Good Mental Health, Canadian Women




Figure 1.8. Percent of girls and women in Ontario, Canada, who reported that their mental health was either “excellent” or “very good.” (Source: D. Garriguet [2021], Portrait of youth in Canada: Data report.)⁴⁷

Self-Reported Disabilities, College Freshmen




Figure 3.2. Percentage of U.S. college freshmen reporting various kinds of disabilities and disorders. (Source: Annual Freshman Survey, by UCLA’s Higher Education Research Institute.)⁸

Daily Time with Friends, by Age Group




Figure 5.1. Daily average time spent with friends in minutes. Only the youngest age group shows a sharp drop before the 2020 data collection, which was performed after COVID restrictions had begun. (Source: American Time Use Study.)¹⁹

Teens Who Get Less Than 7 Hours of Sleep





Figure 5.2. Percent of U.S. students (8th, 10th, and 12th grade) who get less than seven hours of sleep on most nights. (Source: Monitoring the Future.)³³

Have a Few Close Friends



Often Feel Lonely




Figure 6.7. Percent of U.S. students (8th, 10th, and 12th grade) who agreed or mostly agreed with the statement “A lot of times I feel lonely.” (Source: Monitoring the Future.)

No Chance of a Successful Life




Figure 7.1. Percent of U.S. high school seniors who agreed or mostly agreed with the statement “People like me don’t have much of a chance at a successful life.” (Source: Monitoring the Future.)²

Life Often Feels Meaningless





Figure 7.6. Percent of U.S. high school seniors who agreed or mostly agreed with the statement “Life often feels meaningless.” (Source: Monitoring the Future.)



What are crisis and crisis plans?

WHAT ARE CRISIS AND CRISIS PLANS ?

A crisis is a time of perceived intense difficulty, trouble, or danger.



A personal crisis is a state of feeling which might be associated with an internal experience of confusion and anxiety to a degree that formally successful coping mechanisms fail us, and ineffective decisions and behaviors take their place. As a result, the person in crisis may feel confused, vulnerable, anxious, afraid, angry, guilty, hopeless or helpless.

Crisis plans and distress tolerance skills are the first material introduced in DBT and the Simple course because crisis are critical events that absolutely need to be understood and managed before anything else. Crisis have the potential to be devastating, but when skillfully managed, they can help us learn to cope better in the future.

To develop crisis plans you will need the DBT distress tolerance skills. That is why the first simple tool, crisis plans, are introduced at the same time as are the DBT distress tolerance skills which we will discuss over the next few weeks

PREPARING FOR A CRISIS



- Preparing for future crisis they are likely to face is very important because it equips individuals with the skills, tools and strategies needed to manage overwhelming situations effectively.
- Those who prepare for crisis do much better than those who haven't because:
 - 1. Knowing they have a plan can alleviate anxiety and fear associated with potential crises, allowing individuals to approach stressors with a clearer mindset.
 - 2. Prepared individuals can respond more quickly and effectively to crises, as they have already thought through their options and know what steps to take.
 - 3. As discussed in the previous slide, preparation often involves identifying and practicing coping strategies, which can enhance resilience and emotional regulation during difficult times.
 - 4. Those who prepare often communicate their needs and plans to their support network; this makes it more likely for help to be available when needed.


PERSONALITY AND CRISIS



- Remember that personality is defined as the typical ways we tend to think, respond emotionally, and behave.
- Crisis occur through a combination of **external** and **internal** factors.
- Stressors are the **external** factors that typically trigger crisis. How the person responds to those stressors are the **internal** factors that are involved in crisis.
- To develop new more adaptive ways of responding to stressors, we must become mindful of:
 - 1) the nature of stressors and...
 - 2) how we think, feel and behave when we face them. Then we must...
 - 3) practice replacing the typical ways we feel, think and behave when we face these stressors, or our personality patterns, with more adaptive ways of thinking feeling and behaving.
 - 4) to replace old with new patterns of responding to a crisis we must, in our imagination, repeatedly practice the new ways of feeling, thinking and behaving when we faced a stressor that we've experienced in the past, before attempting to do this in a new situation.
- In other words, we must use the **editing**, **splicing** and **pasting** technique when developing and practicing crisis plans.

CRISIS PLAN ALGORITHM


the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. (This is step 1 on the crisis plan template.)
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.

CRISIS PLAN ALGORITHM

the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. This is step 1 on the crisis plan template.
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.

THERE'S A HOLE IN MY SIDEWALK

I walk down the street.
There is a deep hole in the sidewalk.
I fall in.
I am lost... I am helpless.
It isn't my fault.
It takes forever to find a way out.

I walk down the same Street.
There is a deep hole in the sidewalk.
I pretend I don't see it.
I fall in again.
I can't believe I am in the same place.
But it isn't my fault.
It still takes me a long time to get out.

I walk down the same Street.
There is a deep hole in the sidewalk.
I see it is there.
I still fall in. It's a habit.
My eyes are open.
I know where I am.
It is my fault. I get out immediately.


I walk down the same Street.
There is a deep hole in the sidewalk.
I walk around it.

I walk down another Street.”

Portia Nelson

CRISIS PLAN ALGORITHM

the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. This is step 1 on the crisis plan template.
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.

STEP 2. OF THE ALGORITHM

IDENTIFYING THE "HOLES" YOU WANT TO WORK ON

Crisis Plan

1. Which crisis or "hole" is this plan for? What problematic feelings, thoughts, behaviours/maladaptive coping mechanisms/part/selves are present or active when I'm in this hole?

- | | | |
|---|--|---|
| <input type="checkbox"/> anxiety/panic/flight | <input type="checkbox"/> dissociation | <input type="checkbox"/> withdrawing/running away |
| <input type="checkbox"/> fight/anger | <input type="checkbox"/> impulsive behaviour | <input type="checkbox"/> thinking of/hurting myself |
| <input type="checkbox"/> grief | <input type="checkbox"/> illegal behaviours | <input type="checkbox"/> thinking of/hurting others |
| <input type="checkbox"/> despair/giving up | <input type="checkbox"/> behaviours I later regret | <input type="checkbox"/> other specify: _____ |
| <input type="checkbox"/> problems with boundaries | <input type="checkbox"/> addictive behaviour | _____ |

2. What might trigger getting into this crisis/hole?

- | | | |
|---|---|--|
| <input type="checkbox"/> something I perceive others saying/doing | <input type="checkbox"/> certain things in my environment | <input type="checkbox"/> other/describe: _____ |
| <input type="checkbox"/> contact with certain people | <input type="checkbox"/> times of the day/year | _____ |
| <input type="checkbox"/> anniversaries | <input type="checkbox"/> being tired/stressed/not caring for myself | _____ |


3. What other thoughts/feelings/behaviours are typical for me in these crisis/holes?

4. What are the things I or others do that tends to make these crisis/holes worse?

- Identifying the holes you want to work on is the first item in the crisis plan template
- Holes are any dysregulated, problematic, repetitive patterns of thoughts, feelings, or behaviors that you want to change.
- Examples of holes include:
 - Any kind of substance abuse. Any other addiction such as gambling
 - Any destructive impulsive behavior
 - Engaging in repeated dysfunctional interpersonal interactions
 - Self blaming in a ruminative way or negative self talk
 - Being overly critical of others
 - Any dysregulated emotion such as anxiety, anger, or despair
 - Problems with boundaries, not being able to say no when appropriate. Being passive, aggressive or both.
 - Any frequently recurring behavior that you later regret
 - Withdrawing or running away
 - Thinking of, or actually hurting yourself
 - Suicidal thoughts
 - Etc.
- It's helpful to consider physical, emotional, thinking, and behavior holes separately although they go together:

2. FEELING WHEEL: FINDING YOUR EMOTIONAL HOLES


- To find your “emotional holes” using the feeling wheel:
- Think of a specific recent crisis you found yourself in and is a common type of crisis for you.
- Try to identify one or more feelings you experienced during that crisis
- For help identifying your feeling consider the innermost circle of the wheel.
- Work from the center towards the periphery of the circle to further home in on your feelings.
- These are your “emotional holes” or the feelings you tend to experience in a crisis



2. FINDING YOUR THINKING HOLES

WHAT ARE ANTS?

Automatic Negative Thoughts



- To find your “thought holes”:
- Think of a specific recent crisis you found yourself in and that is a common type of crisis for you.
- Try to identify a few of the thoughts you had during the crisis .
- Automatic negative thoughts are also referred to as ruminative thoughts because they repeat over and over again.
- Thought holes or negative thoughts tend to fall into one of several categories
- Consider which category your thoughts belonged to: thoughts of being 1) incompetent, 2) an impostor, 3) defective, 4) unworthy, 5) shameful, 6) guilty, 7) unsafe, 8) vulnerable, or 9) out of control.
- You may have been so overwhelmed during your crisis that your thinking was disorganized, and you are unable to recall or identify any coherent thoughts

2. FINDING YOUR BEHAVIORAL HOLES

EXTERNALIZING AND INTERNALIZING BEHAVIORS

- To find your behavioral holes
- Think of one or more behaviors you tend to engage in when you're in the crisis you are working on.
- Internalizing behaviors are inner directed while externalizing are directed outward to others or the environment.



Externalizing and Internalizing Behaviors and Emotions

Externalizing:


- Aggression
- Tantrums
- Defiance
- Noncompliance w/ rules
- Disobedience
- Lying & stealing
- Destructiveness
- Self-control difficulties

Internalizing:

- Withdrawal
- Limited activity levels
- Fixated on certain thoughts
- Avoidance of social situations
- Anxiety
- Depression
- Inappropriate crying

CRISIS PLAN ALGORITHM

the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. This is step 1 on the crisis plan template.
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.

Crisis Plan

1. Which crisis or “hole” is this plan for? What problematic feelings, thoughts, behaviours/maladaptive coping mechanisms/part/selves are present or active when I’m in this hole?

☐ anxiety/panic/flight

☐ dissociation

☐ withdrawing/running away

☐ fight/anger

☐ impulsive behaviour

☐ thinking of/hurting myself

☐ grief

☐ illegal behaviours

☐ thinking of/hurting others

☐ despair/giving up

☐ behaviours I later regret

☐ other specify: _____

☐ problems with boundaries

☐ addictive behaviour

2. What might trigger getting into this crisis/hole?

☐ something I perceive others saying/doing

☐ certain things in my environment

☐ other/describe: _____

☐ contact with certain people

☐ times of the day/year

☐ anniversaries

☐ being tired/stressed/not caring for myself

3. What other thoughts/feelings/behaviours are typical for me in these crisis/holes?

4. What are the things I or others do that tends to make these crisis/holes worse?

Applying Crisis Plan

5. Am I in a crisis/hole right now?
6. Am I doing anything that is making the crisis/hole worse? If yes, how do I hit the “pause button”?
7. Once I hit the pause button, I will try to follow steps to lower my activation/distress. I will resort to the next step only after trying the previous one unsuccessfully.

Step 1. Things I can do on my own to lower my activation/distress:


Step 2. Non-mental health professionals that may be helpful in helping lower my activation/distress and who I have briefed (Who are they? How do I reach them? What do I say to them?).

Step 3. Is there an “as needed” medication that might help me? (What medication and what dosage?).

Step 4: Professional resources that might be helpful in lowering my distress. (Who? How do I reach them? Times available? What do I say?).

CRISIS PLAN ALGORITHM

the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. This is step 1 on the crisis plan template.
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.



- In item 7 of the template steps 2 and 4 ask that people seek help from family, friends or from professionals. What are some of the challenges associated with doing that?

Applying Crisis Plan

5. Am I in a crisis/hole right now?
6. Am I doing anything that is making the crisis/hole worse? If yes, how do I hit the “pause button”?
7. Once I hit the pause button, I will try to follow steps to lower my activation/distress. I will resort to the next step only after trying the previous one unsuccessfully.

Step 1. Things I can do on my own to lower my activation/distress:

Step 2. Non-mental health professionals that may be helpful in helping lower my activation/distress and who I have briefed (Who are they? How do I reach them? What do I say to them?).

Step 3. Is there an “as needed” medication that might help me? (What medication and what dosage?).

Step 4: Professional resources that might be helpful in lowering my distress. (Who? How do I reach them? Times available? What do I say?).


HELP FROM OTHERS THE IDEAL AND THE REALITY



- Trying to get help from family and friends can backfire. Some people can make the crisis worse.
- Seek help only from those that are likely to be helpful
- Prepare the person beforehand. Make sure they are willing to help and know what you need and what they should do
- Many people do not have family or friends that might help when they're in crisis
- Getting help from professionals can be difficult especially if you don't know the system or the person, you're dealing with.
- If you can, get to know the professional crisis resources that may be available to you.
- We will talk more about this when in session 5 we discuss suicidal thoughts

CRISIS PLAN ALGORITHM

the first Simple algorithm



- Developing crisis plans and becoming skilled at using them involves 8 steps:
- 1. Understand the concept of holes you keep falling into. Choose a specific instance of a crisis for which you want to develop a crisis plan. (crisis are deep holes)
- 2. Identify some of the thoughts, feelings or behaviors that occur during the particular crisis you've chosen. This is step 1 on the crisis plan template.
- 3. Complete the remainder of the crisis plan template for that crisis
- 4. As vividly as possible imagine the particular crisis you are working with. Use the "editing, splicing, and pasting" technique, along with your skills and tools, to imagine a different outcome that incorporates your crisis plan.
- 5. Stay in the window of tolerance while editing, splicing, and pasting by pendulating.
- 6. Repeatedly visualize the new edited, spliced, and pasted version of the situation until you can visualize it without effort.
- 7. When a new crisis occurs work with it following these same steps.
- 8. practice, practice, practice.

Crisis Plan

1. Which crisis or “hole” is this plan for? What problematic feelings, thoughts, behaviours/maladaptive coping mechanisms/part/selves are present or active when I’m in this hole?

☐ anxiety/panic/flight

☐ dissociation

☐ withdrawing/running away

☐ fight/anger

☐ impulsive behaviour

☐ thinking of/hurting myself

☐ grief

☐ illegal behaviours

☐ thinking of/hurting others

☐ despair/giving up

☐ behaviours I later regret

☐ other specify: _____

☐ problems with boundaries

☐ addictive behaviour

2. What might trigger getting into this crisis/hole?

☐ something I perceive others saying/doing

☐ certain things in my environment

☐ other/describe: _____

☐ contact with certain people

☐ times of the day/year

☐ anniversaries

☐ being tired/stressed/not caring for myself

3. What other thoughts/feelings/behaviours are typical for me in these crisis/holes?

4. What are the things I or others do that tends to make these crisis/holes worse?

Applying Crisis Plan

5. Am I in a crisis/hole right now?
6. Am I doing anything that is making the crisis/hole worse? If yes, how do I hit the “pause button”?
7. Once I hit the pause button, I will try to follow steps to lower my activation/distress. I will resort to the next step only after trying the previous one unsuccessfully.

Step 1. Things I can do on my own to lower my activation/distress:

Step 2. Non-mental health professionals that may be helpful in helping lower my activation/distress and who I have briefed (Who are they? How do I reach them? What do I say to them?).

Step 3. Is there an “as needed” medication that might help me? (What medication and what dosage?).

Step 4: Professional resources that might be helpful in lowering my distress. (Who? How do I reach them? Times available? What do I say?).

ANN'S CRISIS PLAN (p.69 of the manual)

- Ann was raised by a perfectionistic and critical single mother, who spent long hours at work managing a restaurant. Ann told her therapist that she had felt sad and lonely for as long as she could remember. As a teenager and young adult she had a few romantic relationships but had always ended up getting hurt and had long ago decided she was better off living alone with her three cats.
- Ann, now in her late 50' s, had for the last 25 years been a nurse in a family-run Mennonite nursing home. For the last 15 years she was the staff manager. Her job was the highlight of her otherwise quiet life, and she considered her patients her family.
- Ann embraced the nursing home's commitment to making the resident's last years as meaningful as possible. She was rewarded with their great appreciation. Ann was like a daughter to the elderly couple, Ezra, and Ruth, who owned and ran the home. They did not think of the home as a business, but as a service to their residents and employees. With the support of this "family", Ann managed her low-grade chronic depression and anxiety well, never missing a day of work.
- When Ezra began to show signs of dementia, Ann was devastated. The owners of the home continued to run it for as long as they could, while looking for someone who would carry on their philosophy of care. Eventually, unable to wait any longer, they reluctantly sold to a company that ran nursing homes all over the province.
- This transition was extremely difficult for Ann, and her anxiety and depression worsened. A new general manager, Jane, took over the home, and was tasked by the new owners, with introducing the company's policies and procedures. As Ann was the nurse in charge, she was required to meet with Jane once a week, to report on the staff's progress with the transition. Although Jane was always pleasant and polite, it was clear to Ann, that the nursing home would be run very differently, and that the financial bottom line had become an important consideration.

Crisis Plan

1. Which crisis or “hole” is this plan for? What problematic feelings, thoughts, behaviours/maladaptive coping mechanisms/part/selves are present or active when I’m in this hole?

☐ anxiety/panic/flight

☐ dissociation

☐ withdrawing/running away

☐ fight/anger

☐ impulsive behaviour

☐ thinking of/hurting myself

☐ grief

☐ illegal behaviours

☐ thinking of/hurting others

☐ despair/giving up

☐ behaviours I later regret

☐ other specify: _____

☐ problems with boundaries

☐ addictive behaviour

2. What might trigger getting into this crisis/hole?

☐ something I perceive others saying/doing

☐ certain things in my environment

☐ other/describe: _____

☐ contact with certain people

☐ times of the day/year

☐ anniversaries

☐ being tired/stressed/not caring for myself

3. What other thoughts/feelings/behaviours are typical for me in these crisis/holes?

4. What are the things I or others do that tends to make these crisis/holes worse?

ANN'S CRISIS PLAN (p. 69)

- Ann started seeing her psychiatrist more often during this trying time. They tweaked her medications, but that seemed to be of limited help. Ann did not feel she had many options, she could not see herself, in her 50's, finding another job, and could not afford to retire. If she went on disability, she would leave her beloved patients, and was afraid she would become more withdrawn and depressed.
- She and her psychiatrist concluded that, although this was a stressful and challenging situation, Ann's dysregulated emotions contributed significantly to her symptoms. They decided that the current "acute hole", within Ann's longer-term chronic "valley", was anticipating and meeting with Jane every week. They decided to work on a crisis plan.
- In one of the sessions with her psychiatrist, Ann worked on a crisis prevention plan for the hole she fell into around the time of her weekly meetings with Jane. Working with the crisis plan template, Ann recognized the
- 1. **unhelpful or problematic behavior** was that, although she forced herself to attend these meetings, she wanted to run away from them, and after the meetings, she withdrew from her usual activities and ruminated.
- She was 2. **triggered** by this work situation because she felt she had no control and felt pressured and devalued.
- The 3. **warning signs** that she was in this hole, were that she would eat more, cry, ruminate, be unable to sleep, isolate herself, and avoid people.
- Being alone 4. **made it worse**.
- People may fall into holes at unpredictable times, in which case it is crucial to be aware of the warning signs and triggers so that they do not miss the fact that they are in a hole. Ann's patterns were more predictable. Although she also ruminated during the remainder of the week, Ann felt most distressed from the day before, to the day after, her meetings with Jane. She felt some relief after the meetings when her worst fears had not materialized. Being aware of this time pattern was helpful in implementing the crisis plan.

ANN'S CRISIS PLAN

- As Ann reviewed the distress tolerance module in the skills training workbook, she thought that 7. step 1 distraction, self soothing, and self-care would be good skills to use when she began to ruminate about work. She decided that the most helpful skills, to deal with the hole itself, would be radical acceptance, practiced relaxation, commitment to valued action, and using coping thoughts and strategies.(we will be discussing these over the next few weeks)
- Ann had previously taken a cognitive behavioral therapy course and was familiar with thought records. It seemed to her that DBT's "coping thoughts" were similar, if less structured than thought records. She was good at doing thought records and decided to structure her crisis plan around one.

Coping thoughts/thought records:

- The situation was that the nursing home had new owners, and Ann had to meet weekly with Jane the manager. Her feelings around this were anxiety and sadness. Her automatic thoughts were "I won't be able to cope", "working at the nursing home won't be the same and will be awful", and "I will lose my job and income and I will be poor". The facts that supported her automatic thinking were: She did struggle to cope. The company that had taken over the nursing home did not care about her in the way Ezra and Ruth did. To this company nursing homes were a business and making money was important. If she did lose her job, she would be in financial distress. The facts that did not support her automatic thinking were: Ann was often told she was an excellent nurse and had coped with many difficult situations at work before. Jane had told her that she and her new employers valued her experience and familiarity with the residents, knew she was part of what made this nursing home special, wanted to keep that quality, and would work with her to do that, while at the same time introducing some changes.
- Ann had done some research, and knew the company had a good reputation and ran their other nursing homes well. She also realized that poverty was a long way away and that she had many options before she got to that point. A balanced perspective, DBT's coping thoughts, was: Although she was struggling, she had coped and adapted to many challenges before this. Although this was a change, the company had a good reputation and wanted to keep her, the staff, and the residents happy, and wanted to work with her

Applying Crisis Plan

5. Am I in a crisis/hole right now?
6. Am I doing anything that is making the crisis/hole worse? If yes, how do I hit the “pause button”?
7. Once I hit the pause button, I will try to follow steps to lower my activation/distress. I will resort to the next step only after trying the previous one unsuccessfully.

Step 1. Things I can do on my own to lower my activation/distress:

Step 2. Non-mental health professionals that may be helpful in helping lower my activation/distress and who I have briefed (Who are they? How do I reach them? What do I say to them?).

Step 3. Is there an “as needed” medication that might help me? (What medication and what dosage?).


Step 4: Professional resources that might be helpful in lowering my distress. (Who? How do I reach them? Times available? What do I say?).

ANN'S CRISIS PLAN

- Ann also realized that her fear of authority figures, and of people in general, had to do with the relationship she had with her mother as a child. Jane was not like her mother and so far, had been kind and respectful with her. Working through the thought record, Ann was reassured and slightly surprised by how much calmer and more confident she felt by the end of the session.
- She also decided to...
- “commit to valued action” by frequently reminding herself that succeeding at her job was not just about her, she owed it to Ezra and Ruth and to the residents. This was her purpose in life, she was good at it, and was proving to her mother that she was not worthless like she had always been made to feel. Succeeding in this new challenge would help her to heal from her traumatic childhood.
- Ann had shared her struggles with Ruth and told her about the crisis plan.
- 7. step 2 Ruth suggested she come to their house weekly for supper, the day before meeting with Jane, and agreed to spend some time helping Ann refocus on her principles and goals.
- Algorithm steps 6 and 8 Ann also resolved that she would devote 20 minutes every evening to visualizing herself in Wise mind, knowing her strengths and what was important: working with Jane so that the nursing home would continue to serve the residents, while maintaining high staff morale.
- While doing the visualization, she would be mindful of her activation and breath, to ensure she remained in the window emotional of tolerance.
- Ann is still working at the nursing home. She gained confidence from having managed the transition successfully and is given a lot of autonomy by Jane and the new company's management.

SUMMARY

Conversations
With
Kate



OPEN DISCUSSION





**SEE YOU NEXT
SESSION**

MINDFULNESS

A person with short brown hair, wearing a white t-shirt, is sitting in a meditative pose on a grassy hill. They are facing away from the camera, looking out over a vast landscape at sunset. The sky is a mix of orange, yellow, and blue, with some clouds. In the distance, there are rolling hills and a body of water. The foreground is filled with tall green grass.

- Next week we'll be mindfully eating a raisin.
- Zoom participants please have some raisins available at the beginning of the class
- We will bring the raisins for those who come in-person.

SESSION 2 OVERVIEW

- Today we're going to discuss the first two of the many skills that might help us cope when we're very distressed. The first is part of our mindfulness practice and is called a sensory tool kit, the second can be remembered using the acronym rest which stands for relax, evaluate, set an intention and take action. Joan and Nicole will review rest which is covered in the DBT workbook.
- When we use tools, we have to know how to use them. For example, if you're a carpenter you have to keep your tools clean, sharp and where you can find them so that you get the best out of them. Similarly, there are ways of using and maintaining the simple tools that are very important to keep in mind when using them. Today we're going to introduce four very important ways or things to keep in mind when we're using the tools.
- Finally, we're going to introduce the first tool crisis plan and if we have time give an example of how to use one. In week 5 we'll do a practice involving a crisis plan.



WARNING ABOUT MINDFULNESS PRACTICE

feel free to skip it. followed by a moment of silence

A row of red theater seats in a dark cinema. Two seats in the foreground are occupied with red and white striped popcorn buckets filled with popcorn, and brown paper cups with white straws are placed in the cup holders on either side. The text 'VIDEO' is overlaid on the left side of the image.

VIDEO

Session 3 of simple

CBT SKILLS TRAINING
WORKBOOK PAGES 3-11
DISTRESS TOLERANCE



5



4



3



2



1



**HOW TO GET
THROUGH
THIS
CRISIS**



A WORRY AUDIT...



PILLS / THERAPY?



**DBT
DISTRESS
TOLERANCE
SKILL**





DISTRESS TOLERANCE

Therapist Talks: **DBT Distress** **Tolerance Skills**